





UNIVERSAL MANUAL & ROBOTIC TIPS

- ISO certified manufacturing
- Precise Results
- Always available in the US





Designed to meet the highest standards of precision and clarity



MANUAL TIPS

Item	SKU	Volume	Sterile	Conductive	Filter	Tip Color	Packaging	Number of units/case
Sterile Tips (manual tip)	LBFT10010	10 µL (31mm)	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT10011	10 µL (39mm)	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT10012	10 µL (46mm)	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT10020	20 µL	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT10100	100 µL	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT10200	200 µL	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT11000	1000 µL	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800
	LBFT11250	1250 µL extra long	Yes	Yes	Yes	Clear	96/rack, 50 racks/case	4800

ROBOTIC TIPS

Tecan Compatible Conductive Tips	LBTCBF0050	50 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304
	LBTCBF0200	200 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304
	LBTCBF1000	1000 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304
Hamilton Compatible Conductive Tips	LBHTBF0050	50 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304
	LBHTBF0300	300 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304
	LBHTBF1000	1000 µL, conductive filter tips, sterile	Yes	Yes	Yes	Black	96/rack, 24 racks/case	2304

COMPATIBILITY CHART FOR TIPS

Brand	AxyPet										Proline										e-Line					m-Line																				
Model	Single Chanel					Multi-Chanel					Single Chanel					Multi-Chanel					Single Chanel			Multi-Chanel		Single Chanel			Multi																	
Volume	0.1-2 µL	0.5-10 µL	2-20 µL	5-50 µL	10-100 µL	20-200 µL	50-500 µL	100-1000 µL	1-10 µL	5-50 µL	20-200 µL	50-300 µL	0.1-2.5 µL	0.2-10 µL	0.5-10 µL	5-50 µL	5-100 µL	10-250 µL	10-500 µL	20-200 µL	50-1000 µL	100-1000 µL	0.2-10 µL	5-100 µL	25-250 µL	50-250 µL	5-100 µL	0.1-10 µL	0.2-10 µL	5-120 µL	10-300 µL	50-1000 µL	0.2-10 µL	5-120 µL	10-300 µL	0.1-3 µL	0.5-10 µL	10-100 µL	20-200 µL	100-1000 µL	0.5-10 µL	5-100 µL	50-300 µL			
10µl	•	•							•				•	•	•								•					•	•							•										
200µl			•	•	•	•	•	•				•				•	•	•	•	•										•	•											•				
1000µl																		•	•	•												•														
1250µl																																														

Brand	BrandTech										Eppendorf																																				
Model	Transferpette					Electronic					Reference					Research					Research Pro					Research Plus																					
Volume	Single Chanel					Multi-Chanel					Single/Multi					Single/Multi					Single					Multi					Single	Multi	Single/Multi														
Volume	2-20 µL	5-50 µL	10-100 µL	20-200 µL	25-250 µL	100-1000 µL	0.5-10 µL	2-20 µL	2.5-25 µL	5-50 µL	10-100 µL	20-200 µL	30-300 µL	0.5-10 µL	5-100 µL	2-200 µL	50-1000 µL	0.1-2.5 µL	0.1-10 µL	0.5-10 µL	10-100 µL	20-200 µL	50-200 µL	50-200 µL	100-1000 µL	0.1-2.5 µL	0.5-10 µL	10-100 µL	20-200 µL	100-1000 µL	0.5-10 µL	5-100 µL	10-100 µL	50-100 µL	20-300 µL	30-300 µL	50-1200 µL	20-300 µL	50-1000 µL	0.5-10 µL	20-300 µL	100-1000 µL					
10µl							•							•				•	•	•							•	•																			
200µl	•	•	•	•	•			•	•	•	•	•	•			•	•				•	•	•	•	•																						
1000µl																																															
1250µl																																															

Brand	Thermo Scientific															Gilson Pipetman																															
Model	Finnpipette										Finnpipette Digital	Finnpipette electronic					Pipetman Classic					Pipetman Neo					Pipetman Neo	Pipetman Ultra																			
Volume	Single Chanel										Multi Chanel					Single	Multi Chanel					Single Chanel					Single Chanel					Multi	Single	Multi													
Volume	0.2-2 µL	0.3-3 µL	0.2-10 µL	0.5-5 µL	0.5-10 µL	1-10 µL	5-40 µL	5-50 µL	10-100 µL	40-200 µL	30-300 µL	100-1000 µL	200-1000 µL	1-10 µL	5-50 µL	50-300 µL	40-200 µL	1-10 µL	30-300 µL	100-1000 µL	P2, 0.1-2 µL	P2, 0.2-2 µL	P10, 0.2-10 µL	P20, 2-20 µL	P100, 10-100 µL	P200, 20-200 µL	P1000, 100-1000 µL	P2N, 0.2-2 µL	P10N, 1-10 µL	P20N, 2-20 µL	P100N, 10-100 µL	P1000N, 20-200 µL	P2000N, 20-200 µL	P6-20N, 2-20 µL	U300, 20-200 µL	P100-M8, 20-200 µL											
10µl	•	•	•	•	•	•	•	•	•	•				•							•	•	•						•	•																	
200µl							•	•	•	•							•																														
1000µl													•	•																																	
1250µl																																															

Brand	VWR										Rainin																																				
Model	VWR and VWR Signature										EDP3					Latch Mode																															
Volume	Single Chanel					Multi-Chanel					Single Chanel					Multi					Single Chanel																										
Volume	0.1-2 µL	0.5-10 µL	2-20 µL	5-50 µL	10-100 µL	20-200 µL	50-250 µL	100-1000 µL	1-10 µL	5-50 µL	20-200 µL	50-300 µL	E-MC-10, 0.5-10 µL	E2-25, 2.5-25 µL	E3-100, 10-100 µL	E2-250, 25-250 µL	E2, 1000, 100-1000 µL	BP-M8-10, 0.5-10 µL	BP-M8-250, 10-250 µL	R2, 0.1-2 µL	R10, 0.2-10 µL	R20, 2-20 µL	R100, 10-100 µL	R200, 20-200 µL	R1000, 10-1000 µL	R2000, 20-2000 µL	R1000, 10-1000 µL	R2000, 20-2000 µL																			
10µl	•	•							•				•								•																										
200µl			•	•	•	•	•	•																																							
1000µl																																															
1250µl																																															